

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE  
STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAR 26 1982

Returned to applicant for correction \_\_\_\_\_

Corrected application filed APR 21 1982 Map filed APR 21 1982The applicant United States of America - Forest Service111 N. Virginia St., Rm. 601 of Reno  
Street and No. or P.O. Box No. City or TownNevada 89501 hereby make<sup>s</sup> application for permission to change the  
State and Zip Code No.location of the point of diversion from Meadow Spring to Q Spring  
Point of diversion, manner of use, and/or place of useof water heretofore appropriated under Certificate 2914, Application 10606  
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree andIdentify right in Decree.)1. The source of water is Q Spring  
Name of stream, lake, underground spring or other source.2. The amount of water to be changed .001 cfs  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.3. The water to be used for domestic purposes  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.4. The water heretofore permitted for domestic purposes  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.5. The water is to be diverted at the following point NE $\frac{1}{4}$  NE $\frac{1}{4}$ , Sec. 20, T.10N., R.45E., MDB&M  
Describe as being within a 40-acre subdivision of public survey and by course and  
(unsurveyed), or at a point from which the SE corner Sec. 1, T.9N., R.45E. bears  
distance to a section corner. If on unsurveyed land, it should be stated.  
S 46°50' E at 28,967.3 feet. (By calculation based upon original bearing and  
distance on map with application no. 10606 and field survey tie between Q Spring  
and Meadow Spring).6. The existing permitted point of diversion is located within NE $\frac{1}{4}$  SW $\frac{1}{4}$ , Sec. 21 T.10N., R.45E, MDB&M  
If point of diversion is not changed, do not answer.  
(unsurveyed), or at a point from which the SE corner Sec. 1, T.9N., R.45E bears  
S45° 42' E at 26,652.6 feet. (Distance and bearing from original map filed with  
application No. 10606).7. Proposed place of use NE $\frac{1}{4}$  SW $\frac{1}{4}$  Sec. 21 T.10N. R.45E MDB&M  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.8. Existing place of use Same as above  
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or  
manner of use of irrigation permit, describe acreage to be removed from irrigation.9. Use will be from April 1st to December 1st of each year.  
Month and Day Month and Day10. Use was permitted from April 1st to December 1st of each year.  
Month and Day Month and Day11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) Water diverted by a collection pipe and head-  
State manner in which water is to be diverted, i.e. diversion structure, ditches,  
box and piped approximately 1/2 mile to the guard station.  
pipes and flumes, or drilled well, etc.12. Estimated cost of works \$16,45013. Estimated time required to construct works should be completed by April 1982

14. Estimated time required to complete the application of water to beneficial use by April, 1982
15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Current use of the guard station is about 200 person days per year.

Annual consumptive use is about .03 AF per year.

See the attached sheet for additional comments.

Bys/Signature illegible  
111 N. Virginia St., Rm. 601  
Reno, NV 89501

Compared bl/ js

Protested 7/28/82 by E. Wayne Hage; 8/2/82 by Wayne Hage & Jean N. Hage  
Pro. Overruled See Ruling #5694

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use shall be filed on or before

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed IN TESTIMONY WHEREOF, I  
State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed my office, this day of

Cultural map filed A.D. 19

Certificate No. Issued